

Laboratory ID: 11467

National Testing Laboratories, Ltd556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585**ANALYTICAL REPORTS****SAMPLE CODE: 307297****12/14/2011****Customer:** Hydroquest
Paul Rubin
909 County Rt 2
Accord, NY 12404**Source:** 61840

Ex. 6 - Personal Privacy

Source City: Dimock**Source State:** PA**Date/Time Received:** 11/23/2011 09:20**Collected by:**

The results herein conform to TNI and ISO/IEC 17025 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any Level Detected in RED or marked with * indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)**"NA"** Not Analyzed**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.**Report Notes:**

pH analysis by EPA Method 150.1 has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate.

NA - Not Analyzed: Test was not performed due to high sediment or natural color of sample.

Fed.Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
Inorganic Analytes - Metals									
1002	Aluminum	200.7	0.2	mg/L	0.05	28*	11/22/2011 16:10		12/6/2011
1005	Arsenic	200.8	0.010	mg/L	0.002	0.015*	11/22/2011 16:10	11/29/2011	11/30/2011
1010	Barium	200.7	2	mg/L	0.10	1.1	11/22/2011 16:10		12/6/2011
1016	Calcium	200.7	--	mg/L	2.0	3.8	11/22/2011 16:10		12/6/2011
1028	Iron	200.7	0.3	mg/L	0.020	34*	11/22/2011 16:10		12/6/2011
1030	Lead	200.8	0.015	mg/L	0.001	0.029*	11/22/2011 16:10	11/29/2011	11/30/2011
1031	Magnesium	200.7	--	mg/L	0.10	6.40	11/22/2011 16:10		12/6/2011
1032	Manganese	200.8	0.05	mg/L	0.004	0.50*	11/22/2011 16:10	11/29/2011	11/30/2011
1042	Potassium	200.7	--	mg/L	1.0	8.5	11/22/2011 16:10		12/6/2011
1052	Sodium	200.7	--	mg/L	1	62	11/22/2011 16:10		12/6/2011
Physical Factors									
1905	Apparent Color	2120B	15	CU		NA	11/22/2011 16:10		
1928	Bicarbonate (as CaCO3)	2320B	--	mg/L	20	140	11/22/2011 16:10		11/29/2011
1929	Carbonate (as CaCO3)	2320B	--	mg/L	20	ND	11/22/2011 16:10		11/29/2011
1064	Conductivity	2510B	--	umhos/cm	1	320	11/22/2011 16:10		11/23/2011
2905	Foaming Agents	5540C	0.5	mg/L		NA	11/22/2011 16:10		
1925	pH	150.1	6.5-8.5	pH Units		8.5	11/22/2011 16:10		11/23/2011 12:15

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 4 307297

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 5:05:10 PM

DIMOCK_011146

DIM0266509

DIM0266586

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307297

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
4254	pH Temperature	150.1	—	Deg. C		14	11/22/2011 16:10		11/23/2011 12:15
1930	Total Dissolved Solids	2540C	500	mg/L	5	220	11/22/2011 16:10		11/23/2011
0100	Turbidity	2130B	1	NTU	0.1	>1000	11/22/2011 16:10		11/23/2011 12:30
Inorganic Analytes - Other									
1004	Bromide	300.1	—	mg/L	0.025	ND	11/22/2011 16:10		12/13/2011
1017	Chloride	300.0	250	mg/L	1.0	2.2	11/22/2011 16:10		12/13/2011 11:30
1055	Sulfate	300.0	250	mg/L	5.0	11	11/22/2011 16:10		12/13/2011 11:30
Organic Analytes - Trihalomethanes									
2943	Bromodichloromethane	524.2 THMs	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2942	Bromoform	524.2 THMs	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2941	Chloroform	524.2 THMs	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2944	Dibromochloromethane	524.2 THMs	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0020	ND	11/22/2011 16:10		11/30/2011
Organic Analytes - Volatiles									
2986	1,1,1,2-Tetrachloroethane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2988	1,1,2,2-Tetrachloroethane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2978	1,1-Dichloroethane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2410	1,1-Dichloropropene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2420	1,2,3-Trichlorobenzene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2414	1,2,3-Trichloropropane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2418	1,2,4-Trimethylbenzene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2424	1,3,5-Trimethylbenzene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2987	1,3-Dichlorobenzene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2412	1,3-Dichloropropane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2416	2,2-Dichloropropane	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2965	2-Chlorotoluene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2966	4-Chlorotoluene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2030	4-Isopropyltoluene	524.2	—	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 4 307297

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 5:05:10 PM

DIMOCK_011147

DIM0266509

DIM0266587

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307297

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2247	Methyl Ethyl Ketone	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	11/22/2011 16:10		11/30/2011
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2991	Toluene	524.2	1	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	11/22/2011 16:10		11/30/2011
2955	Xylenes (Total)	524.2	10	mg/L	0.0015	ND	11/22/2011 16:10		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 4 307297

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 5:05:11 PM

DIMOCK_011148

DIM0266509

DIM0266588

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307297

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	-------------------	----------------------	-------------------	-----------------------

These test results may be used for compliance purpose as required.

(1) DUE TO THE LIMITATION OF EPA METHOD 524.2, m AND p ISOMERS OF XYLENE ARE REPORTED AS AGGREGATE.

Ex. 4 - CBI

Ex. 4 - CBI

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 4 307297

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 5:05:11 PM

DIM0266591

National Testing
Laboratories, Ltd.

Quality Water Analysis

1-800-458-3330

General Compliance

Order Number: 2017288

Order Date: 11/17/2011

Sample Number: 

Product: Misc Chemical

Sample Paid: No Payment Method:

TSR: MRM

Sold To:

Hydroquest

Paul Rubin

909 County Rt 2

Accord

NY 12404

(845)657-8111

hydroquest@yahoo.com

Date Sampled: 11/24/11

Time Sampled: 15:50 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone: ☒ EST ☐ CST ☐ MST ☐ PST

Client Name: Napoli-Bern (Hydro Quest)

Phone Number: 845-657-8111

Fax Number: _____

PWS ID# (if applicable): _____

Sample ID or Source: 61843 Ex. 6 - Personal Privacy

City & State: Dimock, PA
(If Different than Above)

Sample Collected By: Paul A. Rubin
(Signature)

Sample Collected By: Paul A. Rubin
(Please Print)

Form Completed By: Paul A. Rubin

Additional Comments:

Please Add Coliform to
parameter list

For Laboratory Use ONLY

Lab Accounting Information:

Payment \$: _____

Check #: _____

Lab Comments/Special Instructions:

EPA Method 8015 : 2-Butoxyethanol, EThylene Glycol, Glutaraldehyde, Ethoxylated Alcohol, EPA 8260 : Thioglycolic Acid, Acrylonitrile, 2-Propyn-1-ol, Formaldehyde & Strontium, Methane and Ethane.

State Forms:

Lab Sample Information:

Date Received: ____/____/____

Time Received: ____:____

Received By: _____

☐ Sample receipt criteria checked & acceptable.

☐ Deviations from acceptable sample receipt criteria noted on PSA form.

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

DIMOCK_011152

DIM0266509

DIM0266592

Summit Environmental Technologies, Inc.
Cooler Receipt Form



Order ID: 1124423

COOLER

Client: National Testing

Order ID: _____

Log in Initials: _____

Date Received: 112311 Time Received: 1000 Date opened: 112311

Number of Coolers/Boxes: 1 N/A Unpacked by: A

Shipper: FED EX (UPS DHL Airborne US Postal Walk-in Pickup Other: _____)

Packaging: (Peanuts Bubble Wrap Paper Foam None Other: _____)

Tape on cooler/box: (Y N N/A)

Custody Seals intact Y (N N/A)

C-O-C in plastic (Y N N/A)

Coolant: Ice (Blue ice Water None) Sample Temperature 2.2 °C

C-O-C filled out properly (Y N N/A)

Samples in separate bags Y (N N/A)

Sample containers intact (Y N N/A)

*If no, list broken sample(s): _____

Sample label(s) complete (ID, date, etc.) (Y N N/A)

Label(s) agree with C-O-C (Y N N/A)

Correct containers used (Y N N/A)

Sufficient sample received (Y N N/A)

Samples at correct pH? (list below) Y N (NA)

Bubbles absent from 40 mL vials** (Y N N/A)

** Samples with bubbles less than the size of a pea are acceptable.

Client contact: _____ Date/Time: _____

Comments: _____

Sample ID	pH	Sample ID	pH


Rev. 6a

12/10/10

DIMOCK_011153

DIM0266593

DIM0266509



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

LABORATORY REPORT

Client

National Testing Laboratories
6571 Wilson Mills Road
Cleveland, Ohio 44143

Order Number

1124423

Project Number

Napoli-Berm (Hydroquest)

Issued

Monday, December 05, 2011

Total Number of Pages

4 (excluding C.O.C. and cooler receipt form)


Approved By :

QA Manager



NELAC Accreditation #E87688

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com




Sample Summary

Client: National Testing Laboratories

Order Number: 1124423

Laboratory ID	Client ID	Matrix	Sampling Date
1124423-01	61843	Drinking Water	11/22/2011

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



Report Narrative

Client: National Testing Laboratories

Order Number: 1124423

No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

B = Analyte found in the method blank
J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)
C = Analyte has been confirmed by another instrument or method
E = Analyte exceeds the upper limit of the calibration curve.
D = Sample or extract was analyzed at a higher dilution
X = User defined data qualifier.
S = Surrogate out of control limits
U = Undetected
a = Not Accredited by NELAC

ND = Non Detected at LOQ
DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)
Limit Of Detection (LOD) = Laboratory Detection Limit

Estimated uncertainty values are available upon request.


The test results meet the requirements of the NELAC standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

Matrices:

A = Air
C = Cream
DW = Drinking Water
L = Liquid
O = Oil
SL = Sludge
SO = Soil
S = Solid
T = Tablet
TC = TCLP Extract
WW = Waste Water
W = Wipe

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



December 05, 2011

Client: National Testing Laboratories
Address: 6571 Wilson Mills Road
Cleveland, Ohio 44143

Received: 11/23/2011
Project #: Napoli-Berm (Hydroquest)

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Strontium	0.35	mg/l	DW	200.8	1	0.01	28-Nov-11	CM

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	2-Butoxy Ethanol	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	2-Ethoxy Ethanol	ND	mg/L	DW	8015	1	10	05-Dec-11	JBN

2-Propyn-1-ol

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	2-propyn-1-ol	ND	ug/L	DW	8260B	1	5	25-Nov-11	MS

Acrylonitrile

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Acrylonitrile	ND	ug/l	DW	8260B	1	2	25-Nov-11	MS

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Color	75		DW	SM2120B	1	1	28-Nov-11	JRK

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Ethane	0.27	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Ethylene glycol	ND	mg/L	DW	8015	1	1	29-Nov-11	JBN

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Formaldehyde	ND	mg/l	DW	NIOSH 3500	1	0.02	02-Dec-11	KMG

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Glutaraldehyde	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyst
61843	1124423-01	22-Nov-11	Methane	11.89	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

DIMOCK_011157

DIM0266509


DIM0266597

Laboratory ID: 11467

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-6166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS**SAMPLE CODE: 307284****12/14/2011**

Customer: Hydroquest
Paul Rubin
909 County Rt 2
Accord, NY 12404

Source: 61844 -  Well
Source City: Dimock
Source State: PA

Date/Time Received: 11/23/2011 09:20**Collected by:** P. Rubin

The results herein conform to TNI and ISO/IEC 17025 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any Level Detected in RED or marked with * indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

Report Notes:

pH analysis by EPA Method 150.1 has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
Inorganic Analytes - Metals									
1002	Aluminum	200.7	0.2	mg/L	0.05	1.0*	11/22/2011 14:45	11/29/2011	12/6/2011
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	11/22/2011 14:45	11/29/2011	11/30/2011
1010	Barium	200.7	2	mg/L	0.10	ND	11/22/2011 14:45	11/29/2011	12/6/2011
1016	Calcium	200.7	--	mg/L	2.0	15	11/22/2011 14:45	11/29/2011	12/6/2011
1028	Iron	200.7	0.3	mg/L	0.020	1.7*	11/22/2011 14:45	11/29/2011	12/6/2011
1030	Lead	200.8	0.015	mg/L	0.001	0.025*	11/22/2011 14:45	11/29/2011	11/30/2011
1031	Magnesium	200.7	--	mg/L	0.10	2.90	11/22/2011 14:45	11/29/2011	12/6/2011
1032	Manganese	200.8	0.05	mg/L	0.004	0.130*	11/22/2011 14:45	11/29/2011	11/30/2011
1042	Potassium	200.7	--	mg/L	1.0	ND	11/22/2011 14:45	11/29/2011	12/6/2011
1052	Sodium	200.7	--	mg/L	1	3	11/22/2011 14:45	11/29/2011	12/6/2011
Physical Factors									
1928	Bicarbonate (as CaCO ₃)	2320B	--	mg/L	20	40	11/22/2011 14:45		11/29/2011
1929	Carbonate (as CaCO ₃)	2320B	--	mg/L	20	ND	11/22/2011 14:45		11/29/2011
1064	Conductivity	2510B	--	umhos/cm	1	130	11/22/2011 14:45		11/23/2011
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	11/22/2011 14:45		11/23/2011 15:50
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole									
1925	pH	150.1	6.5-8.5	pH Units		5.8*	11/22/2011 14:45		11/23/2011 12:15
4254	pH Temperature	150.1	--	Deg, C		15	11/22/2011 14:45		11/23/2011 12:15

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 4 307284

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:08 PM

DIMOCK_011158

DIM0266509

DIM0266598

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307284

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
1930	Total Dissolved Solids	2540G	500	mg/L	5	76	11/22/2011 14:45		11/23/2011
1905	True Color	2120B	15	CU	3	ND	11/22/2011 14:45		11/23/2011 13:50
0100	Turbidity	2130B	1	NTU	0.1	0.5	11/22/2011 14:45		11/23/2011 12:30
Inorganic Analytes - Other									
1004	Bromide	300.1	--	mg/L	0.005	0.028	11/22/2011 14:45		12/12/2011
1017	Chloride	300.0	250	mg/L	1.0	4.4	11/22/2011 14:45		11/26/2011 19:12
1055	Sulfate	300.0	250	mg/L	5.0	10.0	11/22/2011 14:45		11/26/2011 19:12
Organic Analytes - Trihalomethanes									
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0020	ND	11/22/2011 14:45		11/30/2011
Organic Analytes - Volatiles									
2986	1,1,1,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2988	1,1,2,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2978	1,1-Dichloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2410	1,1-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2420	1,2,3-Trichlorobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2414	1,2,3-Trichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2418	1,2,4-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2424	1,3,5-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2967	1,3-Dichlorobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2412	1,3-Dichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2416	2,2-Dichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2965	2-Chlorotoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2966	4-Chlorotoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2030	4-Isopropyltoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 4 307284

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:09 PM

DIMOCK_011159

DIM0266509

DIM0266599

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307284

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2247	Methyl Ethyl Ketone	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	11/22/2011 14:45		11/30/2011
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2991	Toluene	524.2	1	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	11/22/2011 14:45		11/30/2011
2955	Xylenes (Total)	524.2	10	mg/L	0.0015	ND	11/22/2011 14:45		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 4 307284

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:09 PM

DIMOCK_011160

DIM0266509

DIM0266600

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307284

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	-------------------	----------------------	-------------------	-----------------------

These test results may be used for compliance purpose as required.

(1) DUE TO THE LIMITATION OF EPA METHOD 524.2, m AND p ISOMERS OF XYLENE ARE REPORTED AS AGGREGATE.

Ex. 4 - CBI

Ex. 4 - CBI

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 4 307284

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:09 PM



CHAIN OF CUSTODY

Page _____ of _____

Initiated by: ☐ Client ☐ Broward Testing Laboratory, Ltd. ☐ National Testing Laboratories, Ltd.

[illegible]

COC-001 12/1/03

See instructions on reverse side →

DIM0266602

DIM0266603

**National Testing
Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

General Compliance

Order Number: 2017290

Order Date: 11/17/2011

Sample Number:

Product: Misc Chemical

Sample Paid: No Payment Method:

TSR: MRM

Sold To:

Hydroquest

Paul Rubin

909 County Rt 2

Accord

NY 12404

(845)657-8111

hydroquest@yahoo.com

Date Sampled: 11/22/11

Time Sampled: 14:30 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone: ☒ EST ☐ CST ☐ MST ☐ PST

Client Name: Napoli-Bern (HydroQuest)

Phone Number: 845-657-8111

Fax Number:

PWS ID# (if applicable):

Sample ID or Source: 61846 Ex. 6 - Personal Privacy well

City & State: Dimock, PA
(If Different than Above)

Sample Collected By: Paul A. Rubin
(Signature)

Sample Collected By: Paul A. Rubin
(Please Print)

Form Completed By: Paul A. Rubin

Additional Comments:

Extra small bottle w/ blackish
water drawn from well within 5 minutes of
turning pump on

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

For Laboratory Use ONLY

Lab Accounting Information:

Payment \$: _____

Check #: _____

Lab Comments/Special Instructions:

EPA Method 8015 : 2-Butoxyethanol, EThylene Glycol, Glutaraldehyde, Ethoxylated Alcohol, EPA 8260 : Thioglycolic Acid, Acrylonitrile, 2-Propyn-1-ol, Formaldehyde & Strontium, Methane and Ethane.

State Forms:

Lab Sample Information:

Date Received: ____/____/____

Time Received: ____:____

Received By: _____

☐ Sample receipt criteria checked & acceptable.

☐ Deviations from acceptable sample receipt criteria noted on PSA form.

DIMOCK_011164

DIM0266509

DIM0266604

Summit Environmental Technologies, Inc.
Cooler Receipt Form



Order ID: 1124424

COOLER

Client: National Testing

Order ID: _____

Log in Initials: _____

Date Received: 112311 Time Received: 1000 Date opened: 112311

Number of Coolers/Boxes: 1 N/A Unpacked by: AG

Shipper: FED EX ☒ UPS ☐ DHL ☐ Airborne ☐ US Postal ☐ Walk-in ☐ Pickup ☐ Other: _____

Packaging: ☒ Peanuts ☒ Bubble Wrap ☐ Paper ☐ Foam ☐ None ☐ Other: _____

Tape on cooler/box: ☒ Y ☐ N ☐ N/A

Custody Seals intact ☐ Y ☒ N ☐ N/A

C-O-C in plastic ☒ Y ☐ N ☐ N/A

Coolant: Ice ☒ Blue ice ☐ Water ☐ None ☐ Sample Temperature 5.2 °C

C-O-C filled out properly ☒ Y ☐ N ☐ N/A

Samples in separate bags ☐ Y ☒ N ☐ N/A

Sample containers intact ☒ Y ☐ N ☐ N/A

*If no, list broken sample(s): _____

Sample label(s) complete (ID, date, etc.) ☒ Y ☐ N ☐ N/A

Label(s) agree with C-O-C ☒ Y ☐ N ☐ N/A

Correct containers used ☒ Y ☐ N ☐ N/A

Sufficient sample received ☒ Y ☐ N ☐ N/A

Samples at correct pH? (list below) ☐ Y ☐ N ☒ NA

Bubbles absent from 40 mL vials** ☒ Y ☐ N ☐ N/A

** Samples with bubbles less than the size of a pea are acceptable.

Client contact: _____ Date/Time: _____

Comments: _____

Sample ID	pH	Sample ID	pH

Rev. 6a

12/10/10

DIMOCK_011165

DIM0266605

DIM0266509



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

LABORATORY REPORT

Client

National Testing Laboratories
6571 Wilson Mills Road
Cleveland, Ohio 44143

Order Number

1124424

Project Number

Napoli-Berm (Hydroquest)

Issued

Monday, December 05, 2011

Total Number of Pages

4 (excluding C.O.C. and cooler receipt form)


Approved By :

QA Manager



NELAC Accreditation #E87688

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com




Sample Summary

Client: National Testing Laboratories

Order Number: 1124424

Laboratory ID	Client ID	Matrix	Sampling Date
1124424-01	61846	Drinking Water	11/22/2011

"Analytical Integrity" · EPA Certified · NELAP Certified
3310 Win Street · Cuyahoga Falls, Ohio 44223 · Phone: 330-253-8211 · Fax: 330-253-4489
Web Site: www.settek.com



Report Narrative

Client: National Testing Laboratories

Order Number: 1124424

No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

B = Analyte found in the method blank
J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)
C = Analyte has been confirmed by another instrument or method
E = Analyte exceeds the upper limit of the calibration curve.
D = Sample or extract was analyzed at a higher dilution
X = User defined data qualifier.
S = Surrogate out of control limits
U = Undetected
a = Not Accredited by NELAC

ND = Non Detected at LOQ
DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)
Limit Of Detection (LOD) = Laboratory Detection Limit

Estimated uncertainty values are available upon request.


The test results meet the requirements of the NELAC standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

Matrices:

A = Air
C = Cream
DW = Drinking Water
L = Liquid
O = Oil
SL = Sludge
SO = Soil
S = Solid
T = Tablet
TC = TCLP Extract
WW = Waste Water
W = Wipe

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



December 05, 2011

Client: National Testing Laboratories
Address: 6571 Wilson Mills Road
Cleveland, Ohio 44143

Received: 11/23/2011

Project #: Napoli-Berm (Hydroquest)

<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Strontium	0.055	mg/l	DW	200.7	1	0.01	05-Dec-11	VVK
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	2-Butoxy Ethanol	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	2-Ethoxy Ethanol	ND	mg/L	DW	8015	1	10	05-Dec-11	JBN
2-Propyn-1-ol											
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	2-propyn-1-ol	ND	ug/L	DW	8260B	1	5	25-Nov-11	MS
Acrylonitrile											
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Acrylonitrile	ND	ug/l	DW	8260B	1	2	25-Nov-11	MS
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Color	5		DW	SM2120B	1	1	28-Nov-11	JRK
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Ethane	ND	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Ethylene glycol	ND	mg/L	DW	8015	1	1	29-Nov-11	JBN
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Formaldehyde	ND	mg/l	DW	NIOSH 3500	1	0.02	01-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Glutaraldehyde	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61846	1124424-01	22-Nov-11	Methane	0.04	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

DIMOCK_011169

DIM0266509

DIM0266609

Laboratory ID: 11467

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307286

12/14/2011

Customer: Hydroquest
Paul Rubin
909 County Rt 2
Accord, NY 12404

Source: 61847 - U.S. Environmental Protection Agency Well
Source City: Dimock
Source State: PA

Date/Time Received: 11/23/2011 09:20

Collected by: P. Rubin

The results herein conform to TNI and ISO/IEC 17025 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any Level Detected in RED or marked with * indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

Report Notes:

pH analysis by EPA Method 150.1 has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
Inorganic Analytes - Metals									
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	11/22/2011 13:55		11/28/2011
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	11/22/2011 13:55		11/28/2011
1010	Barium	200.7	2	mg/L	0.10	0.16	11/22/2011 13:55		11/28/2011
1016	Calcium	200.7	—	mg/L	2.0	27	11/22/2011 13:55		11/28/2011
1028	Iron	200.7	0.3	mg/L	0.020	0.051	11/22/2011 13:55		11/28/2011
1030	Lead	200.8	0.015	mg/L	0.001	ND	11/22/2011 13:55		11/28/2011
1031	Magnesium	200.7	—	mg/L	0.10	4.6	11/22/2011 13:55		11/28/2011
1032	Manganese	200.8	0.05	mg/L	0.004	0.006	11/22/2011 13:55		11/28/2011
1042	Potassium	200.7	—	mg/L	1.0	ND	11/22/2011 13:55		11/28/2011
1052	Sodium	200.7	—	mg/L	1	6	11/22/2011 13:55		11/28/2011
Physical Factors									
1928	Bicarbonate (as CaCO ₃)	2320B	—	mg/L	20	78	11/22/2011 13:55		11/29/2011
1929	Carbonate (as CaCO ₃)	2320B	—	mg/L	20	ND	11/22/2011 13:55		11/29/2011
1064	Conductivity	2510B	—	umhos/cm	1	240	11/22/2011 13:55		11/23/2011
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	11/22/2011 13:55		11/23/2011 15:50
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole									
1925	pH	150.1	6.5-8.5	pH Units	6.1*		11/22/2011 13:55		11/23/2011 12:15
4254	pH Temperature	150.1	—	Deg, C	15		11/22/2011 13:55		11/23/2011 12:15

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 4 307286

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:11 PM

DIMOCK_011170

DIM0266509

DIM0266610

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307286

12/14/2011

Fed.Id.#	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
1930	Total Dissolved Solids	2540C	500	mg/L	5	130	11/22/2011 13:55		11/23/2011
1905	True Color	2120B	15	CU	3	4	11/22/2011 13:55		11/23/2011 12:50
0100	Turbidity	2130B	1	NTU	0.1	1.0	11/22/2011 13:55		11/23/2011 12:30
Inorganic Analytes - Other									
1004	Bromide	300.1	--	mg/L	0.005	0.020	11/22/2011 13:55		12/12/2011
1017	Chloride	300.0	250	mg/L	1.0	7.8	11/22/2011 13:55		11/28/2011 20:41
1055	Sulfate	300.0	250	mg/L	5.0	16.0	11/22/2011 13:55		11/28/2011 20:41
Organic Analytes - Trihalomethanes									
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0020	ND	11/22/2011 13:55		11/30/2011
Organic Analytes - Volatiles									
2986	1,1,1,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2988	1,1,2,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2978	1,1-Dichloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2077	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2410	1,1-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2420	1,2,3-Trichlorobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2414	1,2,3-Trichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2418	1,2,4-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2424	1,3,5-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2967	1,3-Dichlorobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2412	1,3-Dichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2416	2,2-Dichloropropane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2965	2-Chlorotoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2966	4-Chlorotoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2030	4-Isopropyltoluene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 4 307286

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:12 PM

DIMOCK_011171

DIM0266509

DIM0266611

National Testing Laboratories, Ltd
556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307286

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2247	Methyl-Ethyl Ketone	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	11/22/2011 13:55		11/30/2011
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2991	Toluene	524.2	1	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	11/22/2011 13:55		11/30/2011
2955	Xylenes (Total)	524.2	10	mg/L	0.0015	ND	11/22/2011 13:55		11/30/2011

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 4 307286

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:12 PM

DIMOCK_011172

DIM0266509

DIM0266612

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 307286

12/14/2011

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	Date/Time Sampled	Date Extracted	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	-------------------	----------------------	-------------------	-----------------------

These test results may be used for compliance purpose as required.

(1) DUE TO THE LIMITATION OF EPA METHOD 524.2, m AND p ISOMERS OF XYLENE ARE REPORTED AS AGGREGATE.

Ex. 4 - CBI

Ex. 4 - CBI Technical Director

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 4 307286

Misc Grp 1-3 + Conductivity

Date Printed: 12/14/2011 12:18:12 PM



CHAIN OF CUSTODY

Page _____ of _____

Initiated by: ☐ Client ☐ Broward Testing Laboratory, Ltd. ☐ National Testing Laboratories, Ltd.

[illegible]

COC-001 12/1/03

See instructions on reverse side →

DIM0266614

DIMOCK_011174

DIM0266509



Quality Water Analysis

1-800-458-3330

General Compliance

Order Number: 2017291

Order Date: 11/17/2011

Sample Number:

Product: Misc Chemical

Sample Paid: No Payment Method:

TSR: MRM

Sold To:

Hydroquest

Paul Rubin

909 County Rt 2

Accord

NY 12404

(845)657-8111

hydroquest@yahoo.com

Date Sampled: 11/22/11

Time Sampled: 13:30 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone: ☒ EST ☐ CST ☐ MST ☐ PST

Client Name: Napoli-Bern (HydroQuest)

Phone Number: 845-657-8111

Fax Number:

PWS ID# (if applicable):

Sample ID or Source: 61849

Ex. 6 - Personal Privacy

City & State: Dimock, PA

(If Different than Above)

Sample Collected By: Paul A. Rubin

(Signature)

Sample Collected By: Paul A. Rubin

(Please Print)

Form Completed By: Paul A. Rubin

Additional Comments:

For Laboratory Use ONLY

Lab Accounting Information:

Payment \$: _____

Check #: _____

Lab Comments/Special Instructions:

EPA Method 8015 : 2-Butoxyethanol, Ethylene Glycol, Glutaraldehyde, Ethoxylated Alcohol, EPA 8260 : Thioglycolic Acid, Acrylonitrile, 2-Propyn-1-ol, Formaldehyde & Strontium, Methane and Ethane.

State Forms:

Lab Sample Information:

Date Received: ____/____/____

Time Received: ____:____

Received By: _____

☐ Sample receipt criteria checked & acceptable.

☐ Deviations from acceptable sample receipt criteria noted on PSA form.

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

DIMOCK_011176

DIM0266509

DIM0266616

Summit Environmental Technologies, Inc.
Cooler Receipt Form



Order ID: 1124425

COOLER

Client: National Testing

Order ID: _____

Log in Initials: _____

Date Received: 11/23/11 Time Received: 1000 Date opened: 11/23/11

Number of Coolers/Boxes: 1 N/A Unpacked by: Ac

Shipper: FED EX ☒ UPS ☐ DHL ☐ Airborne ☐ US Postal ☐ Walk-in ☐ Pickup ☐ Other: _____

Packaging: ☒ Peanuts ☒ Bubble Wrap ☐ Paper ☐ Foam ☐ None ☐ Other: _____

Tape on cooler/box: ☒ Y ☐ N ☐ N/A

Custody Seals intact ☐ Y ☒ N ☐ N/A

C-O-C In plastic ☒ Y ☐ N ☐ N/A

Coolant: Ice ☐ Blue ice ☐ Water ☐ None ☐ Sample Temperature 2-7 °C

C-O-C filled out properly ☒ Y ☐ N ☐ N/A

Samples in separate bags ☐ Y ☒ N ☐ N/A

Sample containers intact ☒ Y ☐ N ☐ N/A

*If no, list broken sample(s): _____

Sample label(s) complete (ID, date, etc.) ☒ Y ☐ N ☐ N/A

Label(s) agree with C-O-C ☒ Y ☐ N ☐ N/A

Correct containers used ☒ Y ☐ N ☐ N/A

Sufficient sample received ☒ Y ☐ N ☐ N/A

Samples at correct pH? (list below) ☐ Y ☐ N ☒ N/A

Bubbles absent from 40 mL vials** ☒ Y ☐ N ☐ N/A

** Samples with bubbles less than the size of a pea are acceptable.

Client contact: _____ Date/Time: _____

Comments: _____

Sample ID	pH	Sample ID	pH


Rev. 6a

12/10/10

DIMOCK_011177

DIM0266617

DIM0266509



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

LABORATORY REPORT

Client

National Testing Laboratories
6571 Wilson Mills Road
Cleveland, Ohio 44143

Order Number

1124425

Project Number

Napoli-Berm (Hydroquest)

Issued

Monday, December 05, 2011

Total Number of Pages

4 (excluding C.O.C. and cooler receipt form)


Approved By :

QA Manager



NELAC Accreditation #E87688

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com




Sample Summary

Client: National Testing Laboratories

Order Number: 1124425

Laboratory ID	Client ID	Matrix	Sampling Date
1124425-01	61849	Drinking Water	11/22/2011

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



Report Narrative

Client: National Testing Laboratories

Order Number: 1124425

No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

B = Analyte found in the method blank

J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)

C = Analyte has been confirmed by another instrument or method

E = Analyte exceeds the upper limit of the calibration curve.

D = Sample or extract was analyzed at a higher dilution

X = User defined data qualifier.

S = Surrogate out of control limits

U = Undetected

a = Not Accredited by NELAC

ND = Non Detected at LOQ

DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)

Limit Of Detection (LOD) = Laboratory Detection Limit

Matrices:

A = Air

C = Cream

DW = Drinking Water

L = Liquid

O = Oil

SL = Sludge

SO = Soil

S = Solid

T = Tablet

TC = TCLP Extract

WW = Waste Water

W = Wipe


Estimated uncertainty values are available upon request.

The test results meet the requirements of the NELAC standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489

Web Site: www.settek.com



December 05, 2011

Client: National Testing Laboratories
Address: 6571 Wilson Mills Road
Cleveland, Ohio 44143

Received: 11/23/2011

Project #: Napoli-Berm (Hydroquest)

<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Strontium	0.2	mg/l	DW	200.7	1	0.01	05-Dec-11	VVK
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	2-Butoxy Ethanol	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	2-Ethoxy Ethanol	ND	mg/L	DW	8015	1	10	05-Dec-11	KMG
2-Propyn-1-ol											
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	2-propyn-1-ol	ND	ug/L	DW	8260B	1	5	25-Nov-11	MS
Acrylonitrile											
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Acrylonitrile	ND	ug/l	DW	8260B	1	2	25-Nov-11	MS
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Color	3		DW	SM2120B	1	1	28-Nov-11	JRK
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Ethane	ND	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Ethylene glycol	ND	mg/L	DW	8015	1	1	29-Nov-11	JBN
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Formaldehyde	ND	mg/l	DW	NIOSH 3500	1	0.02	01-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Glutaraldehyde	ND	mg/L	DW	8015M	1	10	02-Dec-11	KMG
<u>Client ID#</u>	<u>Lab ID#</u>	<u>Collected</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix</u>	<u>Method</u>	<u>DF</u>	<u>LOQ</u>	<u>Run</u>	<u>Analyst</u>
61849	1124425-01	22-Nov-11	Methane	0.01	ppm	DW	GC/FID	1	0.01	28-Nov-11	JBN

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

DIMOCK_011181

DIM0266509

DIM0266621